

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	incremental adj print42	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:22
S2	60	incremental adj print\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:32
S3	10	S2 and linearization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:18
S4	0	"6690485".URPN.	USPAT	OR	OFF	2004/12/10 12:03
S5	4	("5353052" "5489926" "5778160" "6270187").PN.	USPAT	OR	OFF	2004/12/10 12:03
S6	7	("5053866" "5109275" "5237344" "5617516" "5633662" "6042211" "6211970").PN.	USPAT	OR	OFF	2004/12/10 12:05
S7	7	("5053866" "5109275" "5237344" "5617516" "5633662" "6042211" "6211970").PN.	USPAT	OR	OFF	2004/12/10 12:06
S8	2	"6585340".URPN.	USPAT	OR	OFF	2004/12/10 12:06
S9	2	"6290319".URPN.	USPAT	OR	OFF	2004/12/10 12:08
S10	0	linearization near3 color adj printing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:09
S11	1	linearization near3 (color adj printing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:09
S12	0	linearization near3 optical adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:09
S13	0	linearization near3 (optical adj sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:10

S14	6	lineariz\$4 near3 (optical adj sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:22
S15	5	lineariz\$4 near3 (color adj print\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:15
S16	20	"5818960".URPN.	USPAT	OR	OFF	2004/12/10 12:10
S17	22	lineariz\$4 adj2 print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:15
S18	31340	lineariz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:18
S19	4514	S18 and calibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:19
S20	1388	S19 and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:19
S21	652	S20 and color	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:20
S22	377	S21 and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:19
S23	222	S22 and automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:20
S24	712	S20 and color\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:20

S25	67	S24 and optical adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:20
S26	0	lineariz\$4 near3 print44	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:23
S27	63	lineariz\$4 near3 print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:27
S28	42	lineariz\$4 adj3 print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:23
S29	147	incremental adj print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:32
S30	0	S29 and linerariz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:32
S31	14	S29 and lineariz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 12:33
S32	638	calibration adj3 (media or medium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:30
S33	190	S32 and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:23
S34	37	S32 and color adj printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:23

S35	30	S34 and linear\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:30
S36	119	S33 and linear\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:24
S37	90	calibration adj media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:35
S38	41	S37 and linear\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:30
S39	0	calibration near3 (plural adj media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:35
S40	0	calibration near (plural adj media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:36
S41	14	plural adj print\$4 adj media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:36
S42	1	S41 and calibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	525	sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:37
S2	120	S1 and correcting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:05
S3	2	S1 adj correcting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S4	13	S1 near3 correcting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S5	923	color adj calibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:07
S6	486	S5 and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:05
S7	2	S1 and S6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:17
S8	2	S1 and color adj correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:06
S9	1233	drift adj compensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:19

S10	1	S5 and S9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:07
S11	10536	color adj correction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:07
S12	0	S10 and S11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:07
S13	1043	color adj calibrat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:07
S14	965	sensor near drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:08
S15	21	S13 and S14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:11
S16	21	S5 and S14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:13
S17	2	S1 and S13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:12
S18	2	S5 and S1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:13
S19	3	((("4991590") or ("5018529") or ("5048524")).PN.	USPAT; USOCR	OR	OFF	2004/12/10 11:13
S20	0	("6832824").PN.	USPAT; USOCR	OR	OFF	2004/12/10 11:18
S21	0	("6832824").PN.	USPAT; USOCR	OR	OFF	2004/12/10 11:18

S22	1519	drift near compensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:19
S23	518	S22 and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:19
S24	88	S23 and scanning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:23
S25	3770	scan\$5 adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:24
S26	16	S5 and S25	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:34
S27	2	("4272771" "6296343" "2001/0030757").PN.	USPAT	OR	OFF	2004/12/10 11:26
S28	0	"6799823".URPN.	USPAT	OR	OFF	2004/12/10 11:32
S29	3	((("6178008") or ("6690485") or ("6196652")).PN.	USPAT; USOCR	OR	OFF	2004/12/10 11:34
S30	0	"6690485".URPN.	USPAT	OR	OFF	2004/12/10 11:34
S31	4	("5353052" "5489926" "5778160" "6270187").PN.	USPAT	OR	OFF	2004/12/10 11:34
S32	7	"6196652".URPN.	USPAT	OR	OFF	2004/12/10 11:35
S33	35	S1 and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:38
S34	2	S33 and S13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:38
S35	9	S33 and scanning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:39

S36	26	S33 and correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:40
S37	0	358/1.1 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:45
S38	0	358/1.1 and compensation adj2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:41
S39	0	358/1.2 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:41
S40	0	358/1.2 and compensation adj2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:41
S41	0	358/1.2 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:42
S42	0	358/3.26 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:43
S43	0	358/3.26 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:42
S44	0	358/1.12 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:42
S45	0	358/1.12 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:43

S46	2	358/500 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:47
S47	0	358/500 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:44
S48	1	358/518 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:48
S49	6	358/518 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:47
S50	2	382/167 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:48
S51	2	382/162 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:47
S52	0	382/167 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:44
S53	0	382/162 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:45
S54	0	358/494 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:51
S55	1	358/494 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:50

S56	1	358/474 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:47
S57	0	358/474 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:46
S58	1	358/448 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:46
S59	2	358/448 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:46
S60	6	358/1.9 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:50
S61	6	358/504 and compensation near2 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:50
S62	2	358/504 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:51
S63	1	358/1.9 and sensor adj drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:51